Product Name : Print Cartridge Cyan MP C6003S SDS Number : 841868 Date Prepared : 29/05/2017 Date Modified : 10/07/2017 Date : 27/07/2018



Safety Data Sheet (ISO GHS - Australia - form)

1.Identification of the Substance/Preparation and of the Company/Undertaking

Product Name : Print Cartridge Cyan MP C6003S (Cyan toner)
General Use : The Image Formation of Printing Machine or Copier

Product : Toner Cartridge

Description

SDS Number : 841868 Company / Undertaking Identification

Company Name : Ricoh Australia Pty Ltd.
Department : People and Purpose

Address : 2 Richardson Place, North Ryde, NSW 2113

Telephone Number : 13 Ricoh (13 74264)

Emergency Telephone : Poisons Information Centre 13 11 26 (24 hrs)

Number

E-mail : peopleandpurpose@ricoh.com.au

2. Hazards Identification

Classification

	EXPLOSIVES	Classification not possible
	FLAMMABLE GASES	Not Applicable
	FLAMMABLE AEROSOLS	Not Applicable
	OXIDIZING GASES	Not Applicable
	GASES UNDER PRESSURE	Not Applicable
	FLAMMABLE LIQUIDS	Not Applicable
	FLAMMABLE SOLIDS	Classification not possible
	SELF-REACTIVE SUBSTANCES AND MIXTURES	Not Applicable
PHYSICAL	PYROPHORIC LIQUIDS	Not Applicable
HAZARD(S)	PYROPHORIC SOLIDS	Classification not possible
	SELF-HEATING SUBSTANCES AND MIXTURES	Classification not possible
	SUBSTANCES AND MIXTURES, WHICH ON CONTACT WITH WATER, EMIT FLAMMABLE GASES	Classification not possible
	OXIDIZING LIQUIDS	Not Applicable
1		_

-1- [ISO/GHS]

	OXIDIZING SOLIDS	Classification not possible
	ORGANIC PEROXIDES	Classification not possible
	CORROSIVE TO METALS	Classification not possible
	ACUTE TOXICITY(ORAL)	Not Classified
	ACUTE TOXICITY(DERMAL)	Classification not possible
	ACUTE TOXICITY (INHALATION - GAS)	Not Applicable
	ACUTE TOXICITY (INHALATION - VAPOUR)	Not Applicable
	ACUTE TOXICITY (INHALATION - DUST AND MIST)	Classification not possible
	SKIN CORROSION/IRRITATION	Not Classified
	SERIOUS EYE DAMAGE/EYE IRRITATION	Not Classified
HEALTH HAZARD(S)	RESPIRATORY SENSITIZER	Classification not possible
, ,	SKIN SENSITIZER	Not Classified
	GERM CELL MUTAGENICITY	Classification not possible
	CARCINOGENICITY	Classification not possible
	TOXIC TO REPRODUCTION	Classification not possible
	TARGET ORGAN SYSTEMIC TOXICITY FOLLOWING SINGLE EXPOSURE	Classification not possible
	TARGET ORGAN SYSTEMIC TOXICITY FOLLOWING REPEAT EXPOSURE	Classification not possible
	ASPIRATION HAZARD	Classification not possible
ENVIRONMENTSL HAZARD(S)	ACUTE HAZARDS TO THE AQUATIC ENVIRONMENT	Classification not possible
	CHRONIC HAZARDS TO THE AQUATIC ENVIRONMENT	Classification not possible
	HAZARDOUS TO THE OZONE LAYER	Classification not possible

Product Name: Print Cartridge Cyan MP C6003S SDS Number: 841868
Date Prepared: 29/05/2017 Date Modified: 10/07 2017 OutputDate: 27/07/2018



Label element

Pictogram:	
Signal word(s):	Not applicable
Hazard statement(s):	Not applicable
Precautionary statement(s) [Prevention]	Not applicable
[Response]	Not applicable
[Storage]	Not applicable
[Disposal]	Not applicable

Specific Hazards

Dust explosion (like most finely grained organic powders)

3. Composition/Information on Ingredients

Substance or Preparation

Preparation

Chemical Nature

Ingredients	Chemical Formula	CAS.No.	Contents(%)
Polyester Resin	Confidential	Confidential	60-90
Wax	Confidential	Confidential	1-20
Organic Pigment	C32H16CuN8	147-14-8	1-20
Titan Oxide	TiO2	13463-67-7	0.1-1
Silica	O2Si	7631-86-9	<10

This product does not contain any of the following substances as ingredients.

Cadmium, Hexavalent Chromium, Mercury, Lead, Polybrominated biphenyls (PBB), Polybrominated

diphenyleters (PBDE), SVHC (substances of very high concern: published by ECHA). And if it contains any impurities, it does not exceed any of the thresholds of RoHS.

Hazardous Ingredients Information

Chemical Name: Titan Oxide

CAS Number : 13463-67-7 **EEC Number** : 236-675-5 OSHA Z-Tables (USA) : 15mg/m3 ACGIH-TLV : 10mg/m3 : Group 2B NTP (USA) : Not listed IARC Monographs R-Phrase (EŬ) : Not listed Symbol (EÚ) : Not listed DFG-MAK (GER) OELs-TWÀ (Australia) : 10mg/m3 : Not listed

California Proposition 65 (USA) : Not listed

-4- [ISO/GHS]

Product Name: Print Cartridge Cyan MP C6003S SDS Number: 841868 Date Prepared: Date Modified: 10/07 2017 OutputDate: 27/07/2018



4. First-Aid Measures

Inhalation

Remove from exposure to fresh air and rinse mouth with water. Seek medical advice.

Skin Contact

Wash thoroughly with soapy water.

Eye Contact

Flush with a large amount of water until particle is removed. Seek medical advice.

Ingestion

Drink several glasses of water to dilute ingested toner. Seek medical advice.

Notes to a physician

Not applicable

Most important symptoms/effects, acute, and delayed

Not available

Indication of immediate medical attention and special treatment needed, if necessary

Immediate medical attention is not required.

5. Fire-Fighting Measures

Extinguishing Media

CO2, dry chemicals, foam or water.

Extinguishing Media to Avoid

Not applicable

Specific Hazards

Can form explosive dust-air mixtures when finely dispersed in air.

Specific Method

No special fire protecting method is required. Sprinkling or fire extinguishers can be used.

Protection of Fire-fighters

Wear gloves, glasses, a mask if necessary.

6.Accidental Release Measures

Personal Precautions

Do not breathe in dust.

Environment Precautions

Do not flush into sewers or watercourses.

Methods for Cleaning Up
Fine powder may form explosive dust-air mixture.
Confirm there is no source of fire and if there is a source, remove it. Sweep up spilled powder slowly and clean remainder with wet cloth. If a vacuum cleaner is used, a dust explosion-proof type must be chosen.

-6-

Product Name: Print Cartridge Cyan MP C6003S SDS Number: 841868 Date Prepared: 29/05/2017 Date Modified: 10/07/2017 Output Date: 27/07/2018



7. Handling and Storage

Handling

Technical Measures/Precautions

Not applicable

Safe Handling Advice

Do not handle in areas where there is wind or draught, this may cause dust to get into eyes.

Avoid breathing in dust.

Storage

Technical Measures

Not applicable

Storage Conditions

Keep out of reach of children.

Store in dry, well-ventilated area, to maintain quality the temperature should not exceed 35°C for a long time. Avoid direct sunlight.

Packaging Material

Not applicable

Specific Use(s)

Image formation in printing machines or copiers.

8. Exposure Controls/Personal Protection

Technical Measures

Use adequate ventilation. None required with intended use.

Control Parameters

USA OSHA PEL (TWA) : 15mg/m3 (Total dust) 5.0mg/m3 (Respirable fraction)
ACGIH TLV (TWA) : 10mg/m3 (Inhalable fraction)
DFG MAK : 4.0mg/m3 (Total dust) 3.0mg/m3 (Respirable fraction)
1.5mg/m3 (Respirable fraction)

Personal Protection

Respiratory Protections

None required in normal use. If the limit of exposure concentration is exceeded, use authorised respirator.

Hand Protection

Use vinyl or rubber gloves if necessary.

Eye Protection

Put on goggles if necessary.

Skin and Body Protection

Wear chemical-resistant apron or other impervious clothing if necessary.

Hygiene Measures

Wash hands after handling

9. Physical and Chemical Properties

Appearance

Physical State : Solid Form : Powder Colour : Cyan

Odour : Sligthly plastic odour

Odour : Not available

Threshold Information pH: Not applicable

Specific Temperatures/Temperature Ranges at Which Changes in Physical State Occur

Boiling Point (degrees : Not applicable

centigrade)

Melting Point (degrees : (Softening point) Approx.90

centigrade)

Auto-Ignition Temperature : Not available Decomposition Temperature (degrees : Not available

centigrade)

Flash Point (degrees centigrade) : Not applicable

Explosion Properties (degrees centigrade) : This product is considered a nonexplosive material

under normal use.

Product Name: Print Cartridge Cyan MP C6003S SDS Number: 841868 Date Prepared: 29/05/2017 Date Modified: 10/07/2017 OutputDate: 27/07/2018



Evaporation Rate : Not applicable Vapor Pressure (Pa) Not applicable

:

Vapor Not applicable

Density(AIR=1)

Density (g/cm3) Approx.1.2 Measuring Temp (degrees centigrade) : 25

:

Solubility

Water Solubility (g/L) : Insoluble Chloroform Solubility (g/L) : Slightly soluble

Octanol/Water Partition Coefficient

Not available

Other Information

Flammability : Not flammable

Upper/Lower Flammability or Explosive

Limits

Upper Flammability or Explosive Limits : Not available

(g/m3)

Lower Flammability or Explosive Limits : Not available

(g/m3)

Viscosity (Pa·s) : Not applicable Volatile (%) : 0.2 or below

10. Stability and Reactivity

Stability

Stable

Hazardous Reaction

Dust explosion, like most finely grained organic powders.

Conditions to Avoid

Not applicable in normal use.

Materials to Avoid

Not applicable in normal use condition.

Hazardous Decomposition Products

Decomposition products will not occur.

11. Toxicological Information

Acute Toxicity

Acute Oral Toxicity (LD50):

5000 or over [mg/kg] (Rat)

Acute Dermal Toxicity:

Not available

Acute Inhalation Toxicity:

Not applicable (Based on other Ricoh products test results of similar ingredients.)

Local effects

Acute Skin Irritation(PII):

1.0 or below (Rabbit) (Based on other Ricoh products test results of similar ingredients.)

Acute Eye Irritation:

Non-irritant (Rabbit) (Based on other Ricoh products test results of similar ingredients.)

Sensitization

Acute Allergenic Effects:

Non-skinsensitive (Mouse) (Based on other Ricoh products test results of similar ingredients.)

Specific Effects

Carcinogenicity:

Titanium dioxide contained in this product are classified to Group 2B of IARC as the result of inhalation test in use of rat.

But oral/skin test does not show carcinogenicity.

In the animal experiment with very high concentration of titanium dioxide (excessive burden of rat's lungs clearance mechanism (overload phenomenon)), the rat alone showed lung tumor. Under a normal use practice, the concentration should be far lower than the above; and it is assumed that there is no such use.

Also, relation between respiratory disease and work exposure of titanium dioxide is not observed with epidemiological survey.

Mutagenicity: Negative (Ames test)

Reproduction Toxicity: Does not contain substances listed as hazardous to reproductive health.

Spscific target orgen toxicity-single exposure

Spscific target orgen toxicity-repeated exposure

Aspiration hazard

Does not contain substances listed as hazardous to reproductive health.

Symptoms related to the physical, chemical and toxicological characteristics

Not available

Product Name: Print Cartridge Cyan MP C6003S SDS Number: 841868 Date Prepared: 29/05/2017 Date Modified: 10/07/2017 OutputDate: 27/07/2018



12. Ecological Information

Mobility : No data are available on the adverse effect one environment.

Persistence/Degradabilit : Not available

У

Bioaccumulation : Not available

Ecotoxicity

Acute Toxicity for Fish (LC50) : Not classified as toxic (Regulation (EC) No 1272/2008). Acute Toxicity for Daphnia : Not classified as toxic (Regulation (EC) No 1272/2008).

(EC50)

Algae Inhibition Test : Not classified as toxic (Regulation (EC) No 1272/2008).

(IC50)

Other Advers Effects : Not available

13. Disposal Consideration

General information:

Dispose of waste and residues in accordance with local authority requirements

Disposal methods:

Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. Confirm disposal procedures with local regulations.

Precautions:

Do not throw the toner cartridge or toner into an open flame. The hot toner may scatter and cause burns or other damage.

14. Transport Information

International Regulations

Land Transport

RID/ADR : Not applicable
DOT 49 CFR : Not applicable
ADNR : Not applicable

-12-

Sea Transport

IMDG Code : Not applicable

Air Transport

ICAO-TI/IATA-DGR: Not applicable

The UN Classification : Not applicable

Number

UN Proper Shipping Name : Not applicable Class : Not applicable Packing Group, If Applicable : Not applicable

Specific Precautionary Transport Measures and conditions

Avoid direct sunlight in quality.

15.Regulatory Information

Regulations

EU Information

Information on the label (1999/45/EC and 67/548/EEC)

Symbols & Indications : Not required R-Phrase : Not required S-Phrase : Not required

Special Precautions under 1999/45/EC Annex V: Not required

76/769/EEC

This product complies with applicable rules and regulations under 76/769/EEC

1907/2006 Annex XVII

Not regulated

US Information

Information on the label: Not required TSCA (Toxic Substances Control Act):

This product complies with all applicable rules and regulations under TSCA.

SARA Title III

313 Reportable Ingredients : Not regulated California Proposition 65 : Not regulated

Canada Information

WHMIS Controlled product: Not a controlled product

-13-

Product Name: Print Cartridge Cyan MP C6003S SDS Number: 841868 Date Prepared: 29/05/2017 Date Modified: 10/07/2017 OutputDate: 27/07/2018



16.Other Information

Date Prepared: 29/05/2017

NFPA Hazard Rating: National Fire Protection Agency (USA)

Health; 1, Flammability; 1, Reactivity; 0

HMIS Rating: The National Paint and Coating Association (USA)

Health; 1, Flammability; 1, Reactivity; 0

Literature References:

ANSI Z400.1-1993

ISO 11014-1

IARC (1996) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.65, Printing Process and Printing Inks, Carbon Black and Some Nitro Compounds", Lyon, pp149-261

H. Muhle, B. Bellman, O. Creutzenberg, C. Dasenbrock, H. Emst, R. Kilpper, J.C. MacKenzie, P. Morrow, U. Mohr, S. Takenaka and R. Mermelstein(1991) "Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats" Fundamental and Applied Toxicology 17, pp 280-299

IARC (2008) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.93"

NIOSH CURRENT INTELLIGENCE BULLETIN "Evaluation of Health Hazard and Recommendation for

Occupational Exposure to Titanium Dioxide DRAFT"

ACGIH-TLV: Threshold Limit Values for Chemical Substances and Physical Agents and

Biological Exposure Indices

OSHA Z-Tables : US Department of Labor, 29CFR Part 1910, Tables Z-1, Z-2, and Z-3 NTP (USA) : US Department of Health and Human Services National Toxicology

Program Annual Report on Carcinogens

DFG-MAK DFG List of MAK and BAT Value Symbol (EC) : Regulation (EC) No 1272/2008 91/155/ EEC : EU Directive 91/155/ EEC

1907/2006 Annex XVII : Regulation (EC) No 1907/2006 Annex XVII

WHMIS Controlled : Canada Workplace Hazardous Information System

product

OELs-TWA (Australia) : Guidance Note on the Interpretation of Exposure Standards for

Atmospheric Contaminants in the Occupational Environment [NOHSC:

3008 (1995)]

Abbreviations:

PEL (Permissible Exposure Limit) under Occupational Safety and Health Act OSHA PEL

TLV (Threshold Limit Values) under American Conference of Governmental Industrial **ACGIH-TLV**

Hygienists

REACH (EC)No.1907/2006:Council Regulation concerning the Registration, Evaluation,

Authorization and Restriction of Chemicals

SVHC Substances of Very High Concern **ECHA** The European Chemicals Agency

MAK (Maximale Arbeitsplatz Konzentrationen) by Deutsche Forschungs Gemeinschaft DFG-MAK Restriction of the use of certain Hazardous Substances in Electrical and Electronic RoHS

Equipment

Time Weighted Average TWA

IARC International Agency for Research on Cancer

National Toxicology Program NTP

WHMIS Workplace Hazardous Information System

NOHSC National Occupational Health and Safety Commission Act 1985

Disclaimer(S):

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Ricoh Australia Ptv Ltd.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

Ricoh Australia Pty Ltd. assumes no legal responsibility for use or reliance upon this information.

Product Name : Print Cartridge Magenta MP C6003S SDS Number : 841867 Date Prepared : 29/05/2017 Date Modified : 10/07/2017 Date : 27/07/2018



Safety Data Sheet (ISO GHS - Australia - form)

1.Identification of the Substance/Preparation and of the Company/Undertaking

Product Name : Print Cartridge Magenta MP C6003S (Magenta toner)
General Use : The Image Formation of Printing Machine or Copier

Product : Toner Cartridge

Description

SDS Number : 841867 Company / Undertaking Identification

Company Name : Ricoh Australia Pty Ltd.
Department : People and Purpose

Address : 2 Richardson Place, North Ryde, NSW 2113

Telephone Number : 13 Ricoh (13 74264)

Emergency Telephone : Poisons Information Centre 13 11 26 (24 hrs)

Number

E-mail : peopleandpurpose@ricoh.com.au

2. Hazards Identification

Classification

	EXPLOSIVES	Classification not possible
	FLAMMABLE GASES	Not Applicable
	FLAMMABLE AEROSOLS	Not Applicable
	OXIDIZING GASES	Not Applicable
	GASES UNDER PRESSURE	Not Applicable
	FLAMMABLE LIQUIDS	Not Applicable
	FLAMMABLE SOLIDS	Classification not possible
	SELF-REACTIVE SUBSTANCES AND MIXTURES	Not Applicable
PHYSICAL	PYROPHORIC LIQUIDS	Not Applicable
HAZARD(S)	PYROPHORIC SOLIDS	Classification not possible
, ,	SELF-HEATING SUBSTANCES AND MIXTURES	Classification not possible
	SUBSTANCES AND MIXTURES, WHICH ON CONTACT WITH WATER, EMIT FLAMMABLE GASES	Classification not possible
	OXIDIZING LIQUIDS	Not Applicable

-1-

	OXIDIZING SOLIDS	Classification not possible
	ORGANIC PEROXIDES	Classification not possible
	CORROSIVE TO METALS	Classification not possible
	ACUTE TOXICITY(ORAL)	Not Classified
	ACUTE TOXICITY(DERMAL)	Classification not possible
	ACUTE TOXICITY (INHALATION - GAS)	Not Applicable
	ACUTE TOXICITY (INHALATION - VAPOUR)	Not Applicable
	ACUTE TOXICITY (INHALATION - DUST AND MIST)	Classification not possible
	SKIN CORROSION/IRRITATION	Not Classified
	SERIOUS EYE DAMAGE/EYE IRRITATION	Not Classified
HEALTH HAZARD(S)	RESPIRATORY SENSITIZER	Classification not possible
, ,	SKIN SENSITIZER	Not Classified
	GERM CELL MUTAGENICITY	Classification not possible
	CARCINOGENICITY	Classification not possible
	TOXIC TO REPRODUCTION	Classification not possible
	TARGET ORGAN SYSTEMIC TOXICITY FOLLOWING SINGLE EXPOSURE	Classification not possible
	TARGET ORGAN SYSTEMIC TOXICITY FOLLOWING REPEAT EXPOSURE	Classification not possible
	ASPIRATION HAZARD	Classification not possible
ENVIRONMENTSL HAZARD(S)	ACUTE HAZARDS TO THE AQUATIC ENVIRONMENT	Classification not possible
	CHRONIC HAZARDS TO THE AQUATIC ENVIRONMENT	Classification not possible
	HAZARDOUS TO THE OZONE LAYER	Classification not possible

Product Name: Print Cartridge Magenta MP C6003S SDS Number: 841867 Date Prepared: 29/05/2017 Date Modified: 10/07 2017 OutputDate: 27/07/2018



Label element

Pictogram:	
Signal word(s):	Not applicable
Hazard statement(s):	Not applicable
Precautionary statement(s) [Prevention]	Not applicable
[Response]	Not applicable
[Storage]	Not applicable
[Disposal]	Not applicable

Specific Hazards

Dust explosion (like most finely grained organic powders)

3. Composition/Information on Ingredients

Substance or Preparation

Preparation

Chemical Nature

Ingredients	Chemical Formula	CAS.No.	Contents(%)
Polyester Resin	Confidential	Confidential	60-90
Wax	Confidential	Confidential	1-20
Organic Pigment	Confidential	Confidential	1-20
Titan Oxide	TiO2	13463-67-7	0.1-1
Silica	O2Si	7631-86-9	<10

This product does not contain any of the following substances as ingredients.

Cadmium, Hexavalent Chromium, Mercury, Lead, Polybrominated biphenyls (PBB), Polybrominated

diphenyleters (PBDE), SVHC (substances of very high concern: published by ECHA). And if it contains any impurities, it does not exceed any of the thresholds of RoHS.

Hazardous Ingredients Information

Chemical Name: Titan Oxide

CAS Number : 13463-67-7 **EEC Number** : 236-675-5 OSHA Z-Tables (USA) : 15mg/m3 ACGIH-TLV : 10mg/m3 : Group 2B NTP (USA) : Not listed IARC Monographs R-Phrase (EŬ) : Not listed Symbol (EÚ) : Not listed DFG-MAK (GER) OELs-TWÀ (Australia) : 10mg/m3 : Not listed

California Proposition 65 (USA) : Not listed

-4- [ISO/GHS]

Product Name: Print Cartridge Magenta MP C6003S SDS Number: 841867 Date Prepared: Date Modified: 10/07 2017 OutputDate: 27/07/2018



4. First-Aid Measures

Inhalation

Remove from exposure to fresh air and rinse mouth with water. Seek medical advice.

Skin Contact

Wash thoroughly with soapy water.

Eye Contact

Flush with a large amount of water until particle is removed. Seek medical advice.

Ingestion

Drink several glasses of water to dilute ingested toner. Seek medical advice.

Notes to a physician

Not applicable

Most important symptoms/effects, acute, and delayed

Not applicable

Indication of immediate medical attention and special treatment needed, if necessary

Immediate medical attention is not required.

5. Fire-Fighting Measures

Extinguishing Media

CO2, dry chemicals, foam or water.

Extinguishing Media to Avoid

Not applicable

Specific Hazards

Can form explosive dust-air mixtures when finely dispersed in air.

Specific Method

No special fire protecting method is required. Sprinkling or fire extinguishers can be used.

Protection of Fire-fighters

Wear gloves, glasses, a mask if necessary.

6.Accidental Release Measures

Personal Precautions

Do not breathe in dust.

Environment Precautions

Do not flush into sewers or watercourses.

Methods for Cleaning Up
Fine powder may form explosive dust-air mixture.
Confirm there is no source of fire and if there is a source, remove it. Sweep up spilled powder slowly and clean remainder with wet cloth. If a vacuum cleaner is used, a dust explosion-proof type must be chosen.

-6-

Product Name: Print Cartridge Magenta MP C6003S SDS Number: 841867 Date Prepared: 29/05/2017 Date Modified: 10/07/2017 Output Date: 27/07/2018



7. Handling and Storage

Handling

Technical Measures/Precautions

Not applicable

Safe Handling Advice

Do not handle in areas where there is wind or draught, this may cause dust to get into eyes.

Avoid breathing in dust.

Storage

Technical Measures

Not applicable

Storage Conditions

Keep out of reach of children.

Store in dry, well-ventilated area, to maintain quality the temperature should not exceed 35°C for a

long time. Avoid direct sunlight.

Packaging Material

Not applicable

Specific Use(s)

Image formation in printing machines or copiers.

8. Exposure Controls/Personal Protection

Technical Measures

Use adequate ventilation. None required with intended use.

Control Parameters

USA OSHA PEL (TWA) : 15mg/m3 (Total dust) 5.0mg/m3 (Respirable fraction)
ACGIH TLV (TWA) : 10mg/m3 (Inhalable fraction)
DFG MAK : 4.0mg/m3 (Total dust) 3.0mg/m3 (Respirable fraction)
1.5mg/m3 (Respirable fraction)

Personal Protection

Respiratory Protections

None required in normal use. If the limit of exposure concentration is exceeded, use authorised

respirator.

Hand Protection

Use vinyl or rubber gloves if necessary.

Eye Protection

Put on goggles if necessary.

Skin and Body Protection

Wear chemical-resistant apron or other impervious clothing if necessary.

Hygiene Measures

Wash hands after handling

9. Physical and Chemical Properties

Appearance

Physical State : Solid Form : Powder Colour : Magenta

Odour : Sligthly plastic odour

Odour : Not available

Threshold Information pH: Not applicable

Specific Temperatures/Temperature Ranges at Which Changes in Physical State Occur

Boiling Point (degrees : Not applicable

centigrade)

Melting Point (degrees : (Softening point) Approx.90

centigrade)

Auto-Ignition Temperature : Not available Decomposition Temperature (degrees : Not available

centigrade)

Flash Point (degrees centigrade) : Not applicable

Explosion Properties (degrees centigrade) : This product is considered a nonexplosive material

under normal use.

Product Name: Print Cartridge Magenta MP C6003S SDS Number: 841867 Date Prepared: 29/05/2017 Date Modified: 10/07/2017 OutputDate: 27/07/2018



Evaporation Rate : Not applicable Vapor Pressure (Pa) Not applicable

:

Vapor Not applicable

Density(AIR=1)

Density (g/cm3) Approx.1.2 Measuring Temp (degrees centigrade) : 25

:

Solubility

Water Solubility (g/L) : Insoluble Chloroform Solubility (g/L) : Slightly soluble

Octanol/Water Partition Coefficient

Not available

Other Information

Flammability : Not flammable

Upper/Lower Flammability or Explosive

Limits

Upper Flammability or Explosive Limits : Not available

(g/m3)

Lower Flammability or Explosive Limits : Not available

(g/m3)

Viscosity (Pa·s) : Not applicable Volatile (%) : 0.2 or below

10. Stability and Reactivity

Stability

Stable

Hazardous Reaction

Dust explosion, like most finely grained organic powders.

Conditions to Avoid

Not applicable in normal use.

Materials to Avoid

Not applicable in normal use condition.

Hazardous Decomposition Products

Decomposition products will not occur.

11. Toxicological Information

Acute Toxicity

Acute Oral Toxicity (LD50):

5000 or over [mg/kg] (Rat)

Acute Dermal Toxicity:

Not available

Acute Inhalation Toxicity:

Not applicable (Based on other Ricoh products test results of similar ingredients.)

Local effects

Acute Skin Irritation(PII):

1.0 or below (Rabbit) (Based on other Ricoh products test results of similar ingredients.)

Acute Eye Irritation :

Non-irritant (Based on other Ricoh products test results of similar ingredients.)

Sensitization

Acute Allergenic Effects:

Non-skinsensitive (Mouse) (Based on other Ricoh products test results of similar ingredients.)

Specific Effects

Carcinogenicity:

Titanium dioxide contained in this product are classified to Group 2B of IARC as the result of inhalation test in use of rat.

But oral/skin test does not show carcinogenicity.

In the animal experiment with very high concentration of titanium dioxide (excessive burden of rat's lungs clearance mechanism (overload phenomenon)), the rat alone showed lung tumor. Under a normal use practice, the concentration should be far lower than the above; and it is assumed that there is no such use.

Also, relation between respiratory disease and work exposure of titanium dioxide is not observed with epidemiological survey.

Mutagenicity: Negative (Ames test)

Reproduction Toxicity: Does not contain substances listed as hazardous to reproductive health.

Spscific target orgen toxicity-single exposure

Spscific target orgen toxicity-repeated exposure

Aspiration hazard

Does not contain substances listed as hazardous to reproductive health.

Symptoms related to the physical, chemical and toxicological characteristics

Not available

Product Name: Print Cartridge Magenta MP C6003S SDS Number: 841867 Date Prepared: 29/05/2017 Date Modified: 10/07/2017 OutputDate: 27/07/2018



12. Ecological Information

Mobility : No data are available on the adverse effect one environment.

Persistence/Degradabilit : Not available

У

Bioaccumulation : Not available

Ecotoxicity

Acute Toxicity for Fish (LC50) : Not classified as toxic (Regulation (EC) No 1272/2008). Acute Toxicity for Daphnia : Not classified as toxic (Regulation (EC) No 1272/2008).

(EC50)

Algae Inhibition Test : Not classified as toxic (Regulation (EC) No 1272/2008).

(IC50)

Other Advers Effects : Not available

13. Disposal Consideration

General information:

Dispose of waste and residues in accordance with local authority requirements

Disposal methods:

Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. Confirm disposal procedures with local regulations.

Precautions:

Do not throw the toner cartridge or toner into an open flame. The hot toner may scatter and cause burns or other damage.

14. Transport Information

International Regulations

Land Transport

RID/ADR : Not applicable
DOT 49 CFR : Not applicable
ADNR : Not applicable

-12-

Sea Transport

IMDG Code : Not applicable

Air Transport

ICAO-TI/IATA-DGR: Not applicable

The UN Classification : Not applicable

Number

UN Proper Shipping Name : Not applicable Class : Not applicable Packing Group, If Applicable : Not applicable

Specific Precautionary Transport Measures and conditions

Avoid direct sunlight in quality.

15.Regulatory Information

Regulations

EU Information

Information on the label (1999/45/EC and 67/548/EEC)

Symbols & Indications : Not required R-Phrase : Not required S-Phrase : Not required

Special Precautions under 1999/45/EC Annex V: Not required

76/769/EEC

This product complies with applicable rules and regulations under 76/769/EEC

1907/2006 Annex XVII

Not regulated

US Information

Information on the label: Not required TSCA (Toxic Substances Control Act):

This product complies with all applicable rules and regulations under TSCA.

SARA Title III

313 Reportable Ingredients : Not regulated California Proposition 65 : Not regulated

Canada Information

WHMIS Controlled product: Not a controlled product

-13-

Product Name: Print Cartridge Magenta MP C6003S SDS Number: 841867 Date Prepared: 29/05/2017 Date Modified: 10/07/2017 OutputDate: 27/07/2018



16.Other Information

Date Prepared: 29/05/2017

NFPA Hazard Rating: National Fire Protection Agency (USA)

Health; 1, Flammability; 1, Reactivity; 0

HMIS Rating: The National Paint and Coating Association (USA)

Health; 1, Flammability; 1, Reactivity; 0

Literature References:

ANSI Z400.1-1993

ISO 11014-1

IARC (1996) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.65, Printing Process and Printing Inks, Carbon Black and Some Nitro Compounds", Lyon, pp149-261

H. Muhle, B. Bellman, O. Creutzenberg, C. Dasenbrock, H. Emst, R. Kilpper, J.C. MacKenzie, P. Morrow, U. Mohr, S. Takenaka and R. Mermelstein(1991) "Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats" Fundamental and Applied Toxicology 17, pp 280-299

IARC (2008) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.93"

NIOSH CURRENT INTELLIGENCE BULLETIN "Evaluation of Health Hazard and Recommendation for

Occupational Exposure to Titanium Dioxide DRAFT"

ACGIH-TLV: Threshold Limit Values for Chemical Substances and Physical Agents and

Biological Exposure Indices

OSHA Z-Tables : US Department of Labor, 29CFR Part 1910, Tables Z-1, Z-2, and Z-3 NTP (USA) : US Department of Health and Human Services National Toxicology

Program Annual Report on Carcinogens

DFG-MAK DFG List of MAK and BAT Value Symbol (EC) : Regulation (EC) No 1272/2008 91/155/ EEC : EU Directive 91/155/ EEC

1907/2006 Annex XVII : Regulation (EC) No 1907/2006 Annex XVII

WHMIS Controlled : Canada Workplace Hazardous Information System

product

OELs-TWA (Australia) : Guidance Note on the Interpretation of Exposure Standards for

Atmospheric Contaminants in the Occupational Environment [NOHSC:

3008 (1995)]

Abbreviations:

PEL (Permissible Exposure Limit) under Occupational Safety and Health Act OSHA PEL

TLV (Threshold Limit Values) under American Conference of Governmental Industrial **ACGIH-TLV**

Hygienists

REACH (EC)No.1907/2006:Council Regulation concerning the Registration, Evaluation,

Authorization and Restriction of Chemicals

SVHC Substances of Very High Concern **ECHA** The European Chemicals Agency

MAK (Maximale Arbeitsplatz Konzentrationen) by Deutsche Forschungs Gemeinschaft DFG-MAK Restriction of the use of certain Hazardous Substances in Electrical and Electronic RoHS

Equipment

Time Weighted Average TWA

IARC International Agency for Research on Cancer

National Toxicology Program NTP

WHMIS Workplace Hazardous Information System

NOHSC National Occupational Health and Safety Commission Act 1985

Disclaimer(S):

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Ricoh Australia Ptv Ltd.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

Ricoh Australia Pty Ltd. assumes no legal responsibility for use or reliance upon this information.

Product Name: Print Cartridge Yellow MP C6003S SDS Number: 841866 Date Prepared: 29/05/2017 Date Modified: 10/07/2017 Date: 27/07/2018



Safety Data Sheet (ISO GHS - Australia - form)

1.Identification of the Substance/Preparation and of the Company/Undertaking

Product Name : Print Cartridge Yellow MP C6003S (Yellow toner)
General Use : The Image Formation of Printing Machine or Copier

Product : Toner Cartridge

Description

SDS Number : 841866 Company / Undertaking Identification

Company Name : Ricoh Australia Pty Ltd.
Department : People and Purpose

Address : 2 Richardson Place, North Ryde, NSW 2113

Telephone Number : 13 Ricoh (13 74264)

Emergency Telephone : Poisons Information Centre 13 11 26 (24 hrs)

Number

E-mail : peopleandpurpose@ricoh.com.au

2. Hazards Identification

Classification

	EXPLOSIVES	Classification not possible
	FLAMMABLE GASES	Not Applicable
	FLAMMABLE AEROSOLS	Not Applicable
	OXIDIZING GASES	Not Applicable
	GASES UNDER PRESSURE	Not Applicable
	FLAMMABLE LIQUIDS	Not Applicable
	FLAMMABLE SOLIDS	Classification not possible
	SELF-REACTIVE SUBSTANCES AND MIXTURES	Not Applicable
PHYSICAL	PYROPHORIC LIQUIDS	Not Applicable
HAZARD(S)	PYROPHORIC SOLIDS	Classification not possible
, ,	SELF-HEATING SUBSTANCES AND MIXTURES	Classification not possible
	SUBSTANCES AND MIXTURES, WHICH ON CONTACT WITH WATER, EMIT FLAMMABLE GASES	Classification not possible
	OXIDIZING LIQUIDS	Not Applicable

-1-

	OXIDIZING SOLIDS	Classification not possible
	ORGANIC PEROXIDES	Classification not possible
	CORROSIVE TO METALS	Classification not possible
	ACUTE TOXICITY(ORAL)	Not Classified
	ACUTE TOXICITY(DERMAL)	Classification not possible
	ACUTE TOXICITY (INHALATION - GAS)	Not Applicable
	ACUTE TOXICITY (INHALATION - VAPOUR)	Not Applicable
	ACUTE TOXICITY (INHALATION - DUST AND MIST)	Classification not possible
	SKIN CORROSION/IRRITATION	Not Classified
	SERIOUS EYE DAMAGE/EYE IRRITATION	Not Classified
HEALTH HAZARD(S)	RESPIRATORY SENSITIZER	Classification not possible
, ,	SKIN SENSITIZER	Not Classified
	GERM CELL MUTAGENICITY	Classification not possible
	CARCINOGENICITY	Classification not possible
	TOXIC TO REPRODUCTION	Classification not possible
	TARGET ORGAN SYSTEMIC TOXICITY FOLLOWING SINGLE EXPOSURE	Classification not possible
	TARGET ORGAN SYSTEMIC TOXICITY FOLLOWING REPEAT EXPOSURE	Classification not possible
	ASPIRATION HAZARD	Classification not possible
ENVIRONMENTSL HAZARD(S)	ACUTE HAZARDS TO THE AQUATIC ENVIRONMENT	Classification not possible
	CHRONIC HAZARDS TO THE AQUATIC ENVIRONMENT	Classification not possible
	HAZARDOUS TO THE OZONE LAYER	Classification not possible

Product Name: Print Cartridge Yellow MP C6003S SDS Number: 841866 Date Prepared: 29/05/2017 Date Modified: 10/07 2017 OutputDate: 27/07/2018



Label element

Pictogram:	
Signal word(s):	Not applicable
Hazard statement(s):	Not applicable
Precautionary statement(s) [Prevention]	Not applicable
[Response]	Not applicable
[Storage]	Not applicable
[Disposal]	Not applicable

Specific Hazards

Dust explosion (like most finely grained organic powders)

3. Composition/Information on Ingredients

Substance or Preparation

Preparation

Chemical Nature

Ingredients	Chemical Formula	CAS.No.	Contents(%)
Polyester Resin	Confidential	Confidential	60-90
Wax	Confidential	Confidential	1-20
Organic Pigment	Confidential	Confidential	1-20
Titan Oxide	TiO2	13463-67-7	0.1-1
Silica	O2Si	7631-86-9	<10

This product does not contain any of the following substances as ingredients.

Cadmium, Hexavalent Chromium, Mercury, Lead, Polybrominated biphenyls (PBB), Polybrominated

diphenyleters (PBDE), SVHC (substances of very high concern: published by ECHA). And if it contains any impurities, it does not exceed any of the thresholds of RoHS.

Hazardous Ingredients Information

Chemical Name: Titan Oxide

CAS Number : 13463-67-7 **EEC Number** : 236-675-5 OSHA Z-Tables (USA) : 15mg/m3 ACGIH-TLV : 10mg/m3 : Group 2B NTP (USA) : Not listed IARC Monographs R-Phrase (EŬ) : Not listed Symbol (EÚ) : Not listed DFG-MAK (GER) OELs-TWÀ (Australia) : 10mg/m3 : Not listed

California Proposition 65 (USA) : Not listed

-4- [ISO/GHS]

Product Name: Print Cartridge Yellow MP C6003S SDS Number: 841866 Date Prepared: Date Modified: 10/07 2017 OutputDate: 27/07/2018



4. First-Aid Measures

Inhalation

Remove from exposure to fresh air and rinse mouth with water. Seek medical advice.

Skin Contact

Wash thoroughly with soapy water.

Eye Contact

Flush with a large amount of water until particle is removed. Seek medical advice.

Ingestion

Drink several glasses of water to dilute ingested toner. Seek medical advice.

Notes to a physician

Not applicable

Most important symptoms/effects, acute, and delayed

Not applicable

Indication of immediate medical attention and special treatment needed, if necessary

Immediate medical attention is not required.

5. Fire-Fighting Measures

Extinguishing Media

CO2, dry chemicals, foam or water.

Extinguishing Media to Avoid

Not applicable

Specific Hazards

Can form explosive dust-air mixtures when finely dispersed in air.

Specific Method

No special fire protecting method is required. Sprinkling or fire extinguishers can be used.

Protection of Fire-fighters

Wear gloves, glasses, a mask if necessary.

6.Accidental Release Measures

Personal Precautions

Do not breathe in dust.

Environment Precautions

Do not flush into sewers or watercourses.

Methods for Cleaning Up
Fine powder may form explosive dust-air mixture.
Confirm there is no source of fire and if there is a source, remove it. Sweep up spilled powder slowly and clean remainder with wet cloth. If a vacuum cleaner is used, a dust explosion-proof type must be chosen.

-6-

Product Name: Print Cartridge Yellow MP C6003S SDS Number: 841866 Date Prepared: 29/05/2017 Date Modified: 10/07/2017 Output Date: 27/07/2018



7. Handling and Storage

Handling

Technical Measures/Precautions

Not applicable

Safe Handling Advice

Do not handle in areas where there is wind or draught, this may cause dust to get into eyes.

Avoid breathing in dust.

Storage

Technical Measures

Not applicable

Storage Conditions

Keep out of reach of children.

Store in dry, well-ventilated area, to maintain quality the temperature should not exceed 35°C for a long time. Avoid direct sunlight.

Packaging Material

Not applicable

Specific Use(s)

Image formation in printing machines or copiers.

8. Exposure Controls/Personal Protection

Technical Measures

Use adequate ventilation. None required with intended use.

Control Parameters

USA OSHA PEL (TWA) : 15mg/m3 (Total dust) 5.0mg/m3 (Respirable fraction)
ACGIH TLV (TWA) : 10mg/m3 (Inhalable fraction)
DFG MAK : 4.0mg/m3 (Total dust) 3.0mg/m3 (Respirable fraction)
1.5mg/m3 (Respirable fraction)

Personal Protection

Respiratory Protections

None required in normal use. If the limit of exposure concentration is exceeded, use authorised respirator.

Hand Protection

Use vinyl or rubber gloves if necessary.

Eye Protection

Put on goggles if necessary.

Skin and Body Protection

Wear chemical-resistant apron or other impervious clothing if necessary.

Hygiene Measures

Wash hands after handling

9. Physical and Chemical Properties

Appearance

Physical State : Solid Form : Powder Colour : Yellow

Odour : Sligthly plastic odour

Odour : Not available

Threshold Information pH: Not applicable

Specific Temperatures/Temperature Ranges at Which Changes in Physical State Occur

Boiling Point (degrees : Not applicable

centigrade)

Melting Point (degrees : (Softening point) Approx.90

centigrade)

Auto-Ignition Temperature : Not available Decomposition Temperature (degrees : Not available

centigrade)

Flash Point (degrees centigrade) : Not applicable

Explosion Properties (degrees centigrade) : This product is considered a nonexplosive material

under normal use.

Product Name: Print Cartridge Yellow MP C6003S SDS Number: 841866 Date Prepared: 29/05/2017 Date Modified: 10/07/2017 OutputDate: 27/07/2018



Evaporation Rate : Not applicable Vapor Pressure (Pa) Not applicable

:

Vapor Not applicable

Density(AIR=1)

Density (g/cm3) Approx.1.2 Measuring Temp (degrees centigrade) : 25

:

Solubility

Water Solubility (g/L) : Insoluble Chloroform Solubility (g/L) : Slightly soluble

Octanol/Water Partition Coefficient

Not available

Other Information

Flammability : Not flammable

Upper/Lower Flammability or Explosive

Limits

Upper Flammability or Explosive Limits : Not available

(g/m3)

Lower Flammability or Explosive Limits : Not available

(g/m3)

Viscosity (Pa·s) : Not applicable Volatile (%) : 0.2 or below

10. Stability and Reactivity

Stability

Stable

Hazardous Reaction

Dust explosion, like most finely grained organic powders.

Conditions to Avoid

Not applicable in normal use.

Materials to Avoid

Not applicable in normal use condition.

Hazardous Decomposition Products

Decomposition products will not occur.

11. Toxicological Information

Acute Toxicity

Acute Oral Toxicity (LD50):

5000 or over [mg/kg] (Rat)

Acute Dermal Toxicity:

Not available

Acute Inhalation Toxicity:

Not applicable (Based on other Ricoh products test results of similar ingredients.)

Local effects

Acute Skin Irritation(PII):

1.0 or below (Rabbit) (Based on other Ricoh products test results of similar ingredients.)

Acute Eye Irritation:

Non-irritant (Rabbit) (Based on other Ricoh products test results of similar ingredients.)

Sensitization

Acute Allergenic Effects:

Non-skinsensitive (Mouse) (Based on other Ricoh products test results of similar ingredients.)

Specific Effects

Carcinogenicity:

Titanium dioxide contained in this product are classified to Group 2B of IARC as the result of inhalation test in use of rat.

But oral/skin test does not show carcinogenicity.

In the animal experiment with very high concentration of titanium dioxide (excessive burden of rat's lungs clearance mechanism (overload phenomenon)), the rat alone showed lung tumor. Under a normal use practice, the concentration should be far lower than the above; and it is assumed that there is no such use.

Also, relation between respiratory disease and work exposure of titanium dioxide is not observed with epidemiological survey.

Mutagenicity: Negative (Ames test)

Reproduction Toxicity: Does not contain substances listed as hazardous to reproductive health.

Spscific target orgen toxicity-single exposure

Spscific target orgen toxicity-repeated exposure

Aspiration hazard

Does not contain substances listed as hazardous to reproductive health.

Symptoms related to the physical, chemical and toxicological characteristics

Not available

Product Name: Print Cartridge Yellow MP C6003S SDS Number: 841866 Date Prepared: 29/05/2017 Date Modified: 10/07/2017 OutputDate: 27/07/2018



12. Ecological Information

Mobility : No data are available on the adverse effect one environment.

Persistence/Degradabilit : Not available

У

Bioaccumulation : Not available

Ecotoxicity

Acute Toxicity for Fish (LC50) : Not classified as toxic (Regulation (EC) No 1272/2008). Acute Toxicity for Daphnia : Not classified as toxic (Regulation (EC) No 1272/2008).

(EC50)

Algae Inhibition Test : Not classified as toxic (Regulation (EC) No 1272/2008).

(IC50)

Other Advers Effects : Not available

13. Disposal Consideration

General information:

Dispose of waste and residues in accordance with local authority requirements

Disposal methods:

Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. Confirm disposal procedures with local regulations.

Precautions:

Do not throw the toner cartridge or toner into an open flame. The hot toner may scatter and cause burns or other damage.

14. Transport Information

International Regulations

Land Transport

RID/ADR : Not applicable
DOT 49 CFR : Not applicable
ADNR : Not applicable

-12-

Sea Transport

IMDG Code : Not applicable

Air Transport

ICAO-TI/IATA-DGR: Not applicable

The UN Classification : Not applicable

Number

UN Proper Shipping Name : Not applicable Class : Not applicable Packing Group, If Applicable : Not applicable

Specific Precautionary Transport Measures and conditions

Avoid direct sunlight in quality.

15.Regulatory Information

Regulations

EU Information

Information on the label (1999/45/EC and 67/548/EEC)

Symbols & Indications : Not required R-Phrase : Not required S-Phrase : Not required

Special Precautions under 1999/45/EC Annex V: Not required

76/769/EEC

This product complies with applicable rules and regulations under 76/769/EEC

1907/2006 Annex XVII

Not regulated

US Information

Information on the label: Not required TSCA (Toxic Substances Control Act):

This product complies with all applicable rules and regulations under TSCA.

SARA Title III

313 Reportable Ingredients : Not regulated California Proposition 65 : Not regulated

Canada Information

WHMIS Controlled product: Not a controlled product

-13-

Product Name: Print Cartridge Yellow MP C6003S SDS Number: 841866 Date Prepared: 29/05/2017 Date Modified: 10/07/2017 OutputDate: 27/07/2018



16.Other Information

Date Prepared: 29/05/2017

NFPA Hazard Rating: National Fire Protection Agency (USA)

Health; 1, Flammability; 1, Reactivity; 0

HMIS Rating: The National Paint and Coating Association (USA)

Health; 1, Flammability; 1, Reactivity; 0

Literature References:

ANSI Z400.1-1993

ISO 11014-1

IARC (1996) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.65, Printing Process and Printing Inks, Carbon Black and Some Nitro Compounds", Lyon, pp149-261

H. Muhle, B. Bellman, O. Creutzenberg, C. Dasenbrock, H. Emst, R. Kilpper, J.C. MacKenzie, P. Morrow, U. Mohr, S. Takenaka and R. Mermelstein(1991) "Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats" Fundamental and Applied Toxicology 17, pp 280-299

IARC (2008) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.93"

NIOSH CURRENT INTELLIGENCE BULLETIN "Evaluation of Health Hazard and Recommendation for Occupational Exposure to Titanium Dioxide DRAFT"

ACGIH-TLV : Threshold Limit Values for Chemical Substances and Physical Agents and

Biological Exposure Indices

OSHA Z-Tables : US Department of Labor, 29CFR Part 1910 , Tables Z-1, Z-2, and Z-3

NTP (USA) : US Department of Health and Human Services National Toxicology

Program Annual Report on Carcinogens

DFG-MAK DFG List of MAK and BAT Value Symbol (EC) : Regulation (EC) No 1272/2008 91/155/ EEC : EU Directive 91/155/ EEC

1907/2006 Annex XVII : Regulation (EC) No 1907/2006 Annex XVII

WHMIS Controlled : Canada Workplace Hazardous Information System

product

OELs-TWA (Australia) : Guidance Note on the Interpretation of Exposure Standards for

Atmospheric Contaminants in the Occupational Environment [NOHSC:

3008 (1995)]

Abbreviations:

OSHA PEL PEL (Permissible Exposure Limit) under Occupational Safety and Health Act

ACGIH-TLV TLV (Threshold Limit Values) under American Conference of Governmental Industrial

Hygienists

REACH (EC)No.1907/2006:Council Regulation concerning the Registration, Evaluation,

Authorization and Restriction of Chemicals

SVHC Substances of Very High Concern ECHA The European Chemicals Agency

DFG-MAK MAK (Maximale Arbeitsplatz Konzentrationen) by Deutsche Forschungs Gemeinschaft RoHS Restriction of the use of certain Hazardous Substances in Electrical and Electronic

The striction of the use of certain Hazardous Substances in Electrical and E

Equipment

TWA Time Weighted Average

IARC International Agency for Research on Cancer

NTP National Toxicology Program

WHMIS Workplace Hazardous Information System

NOHSC National Occupational Health and Safety Commission Act 1985

Disclaimer(S):

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Ricoh Australia Ptv Ltd.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

Ricoh Australia Pty Ltd. assumes no legal responsibility for use or reliance upon this information.

Product Name : Print Cartridge Black MP C6003S SDS Number : 841865 Date Prepared : 29/05/2017 Date Modified : 10/07/2017 Date : 27/07/2018



Safety Data Sheet (ISO GHS - Australia - form)

1.Identification of the Substance/Preparation and of the Company/Undertaking

Product Name : Print Cartridge Black MP C6003S (Black toner)
General Use : The Image Formation of Printing Machine or Copier

Product : Toner Cartridge

Description

SDS Number : 841865 Company / Undertaking Identification

Company Name : Ricoh Australia Pty Ltd.
Department : People and Purpose

Address : 2 Richardson Place, North Ryde, NSW 2113

Telephone Number : 13 Ricoh (13 74264)

Emergency Telephone : Poisons Information Centre 13 11 26 (24 hrs)

Number

E-mail : peopleandpurpose@ricoh.com.au

2. Hazards Identification

Classification

PHYSICAL HAZARD(S)	EXPLOSIVES	Classification not possible
	FLAMMABLE GASES	Not Applicable
	FLAMMABLE AEROSOLS	Not Applicable
	OXIDIZING GASES	Not Applicable
	GASES UNDER PRESSURE	Not Applicable
	FLAMMABLE LIQUIDS	Not Applicable
	FLAMMABLE SOLIDS	Classification not possible
	SELF-REACTIVE SUBSTANCES AND MIXTURES	Not Applicable
	PYROPHORIC LIQUIDS	Not Applicable
	PYROPHORIC SOLIDS	Classification not possible
	SELF-HEATING SUBSTANCES AND MIXTURES	Classification not possible
	SUBSTANCES AND MIXTURES, WHICH ON CONTACT WITH WATER, EMIT FLAMMABLE GASES	Classification not possible
	OXIDIZING LIQUIDS	Not Applicable

-1-

l	OXIDIZING SOLIDS	Classification not possible
	ORGANIC PEROXIDES	Classification not possible
	CORROSIVE TO METALS	Classification not possible
	ACUTE TOXICITY(ORAL)	Not Classified
	ACUTE TOXICITY(DERMAL)	Classification not possible
	ACUTE TOXICITY (INHALATION - GAS)	Not Applicable
	ACUTE TOXICITY (INHALATION - VAPOUR)	Not Applicable
	ACUTE TOXICITY (INHALATION - DUST AND MIST)	Classification not possible
	SKIN CORROSION/IRRITATION	Not Classified
	SERIOUS EYE DAMAGE/EYE IRRITATION	Not Classified
HEALTH HAZARD(S)	RESPIRATORY SENSITIZER	Classification not possible
, ,	SKIN SENSITIZER	Not Classified
	GERM CELL MUTAGENICITY	Classification not possible
	CARCINOGENICITY	Classification not possible
	TOXIC TO REPRODUCTION	Classification not possible
	TARGET ORGAN SYSTEMIC TOXICITY FOLLOWING SINGLE EXPOSURE	Classification not possible
	TARGET ORGAN SYSTEMIC TOXICITY FOLLOWING REPEAT EXPOSURE	Classification not possible
	ASPIRATION HAZARD	Classification not possible
ENVIRONMENTSL HAZARD(S)	ACUTE HAZARDS TO THE AQUATIC ENVIRONMENT	Classification not possible
	CHRONIC HAZARDS TO THE AQUATIC ENVIRONMENT	Classification not possible
	HAZARDOUS TO THE OZONE LAYER	Classification not possible

Product Name: Print Cartridge Black MP C6003S SDS Number: 841865 Date Prepared: 29/05/2017 Date Modified: 10/07 2017 OutputDate: 27/07/2018



Label element

Pictogram:	
Signal word(s):	Not applicable
Hazard statement(s):	Not applicable
Precautionary statement(s) [Prevention]	Not applicable
[Response]	Not applicable
[Storage]	Not applicable
[Disposal]	Not applicable

Specific Hazards

Dust explosion (like most finely grained organic powders)

3. Composition/Information on Ingredients

Substance or Preparation

Preparation

Chemical Nature

Ingredients	Chemical Formula	CAS.No.	Contents(%)
Polyester Resin	Confidential	Confidential	60-90
Wax	Confidential	Confidential	1-20
Carbon Black	С	1333-86-4	1-20
Titan Oxide	TiO2	13463-67-7	0.1-1
Silica	O2Si	7631-86-9	<10

This product does not contain any of the following substances as ingredients.

Cadmium, Hexavalent Chromium, Mercury, Lead, Polybrominated biphenyls (PBB), Polybrominated

diphenyleters (PBDE), SVHC (substances of very high concern: published by ECHA). And if it contains any impurities, it does not exceed any of the thresholds of RoHS.

Hazardous Ingredients Information

Chemical Name:	Carbon Black
----------------	--------------

: 1333-86-4 : 215-609-9 **CAS Number EEC Number** OSHA Z-Tables (USA) : 3.5mg/m3 : 3.5mg/m3 **ACGIH-TLV** NTP (USA) : Not listed IARC Monographs : Group 2B Symbol (EU) : Not listed R-Phrase (EU) : Not listed DFG-MAK : III 3B OELs-TWA (Australia) : 3.0mg/m3

California Proposition 65 (USA) : Listed

Chemical Name: Titan Oxide

CAS Number : 13463-67-7 : 236-675-5 **EEC Number** OSHA Z-Tables (USA) : 15mg/m3 : 10mg/m3 **ACGIH-TLV** : Not listed : Group 2B NTP (USA) IARC Monographs : Not listed Symbol (EU) : Not listed R-Phrase (EU) DFG-MAK (GER) : Not listed OELs-TWA (Australia) : 10mg/m3

California Proposition 65 (USA) : Not listed

Product Name: Print Cartridge Black MP C6003S SDS Number: 841865 Date Prepared: Date Modified: 10/07 2017 OutputDate: 27/07/2018



4 First-Aid Measures

Inhalation

Remove from exposure to fresh air and rinse mouth with water. Seek medical advice.

Skin Contact

Wash thoroughly with soapy water.

Eye Contact

Flush with a large amount of water until particle is removed. Seek medical advice.

Ingestion

Drink several glasses of water to dilute ingested toner. Seek medical advice.

Notes to a physician

Not applicable

Most important symptoms/effects, acute, and delayed

Not applicable

Indication of immediate medical attention and special treatment needed, if necessary

Immediate medical attention is not required.

5. Fire-Fighting Measures

Extinguishing Media

CO2, dry chemicals, foam or water.

Extinguishing Media to Avoid

Not applicable

Specific Hazards

Can form explosive dust-air mixtures when finely dispersed in air.

Specific Method

No special fire protecting method is required. Sprinkling or fire extinguishers can be used.

Protection of Fire-fighters

Wear gloves, glasses, a mask if necessary.

6.Accidental Release Measures

Personal Precautions

Do not breathe in dust.

Environment Precautions

Do not flush into sewers or watercourses.

Methods for Cleaning Up
Fine powder may form explosive dust-air mixture.
Confirm there is no source of fire and if there is a source, remove it. Sweep up spilled powder slowly and clean remainder with wet cloth. If a vacuum cleaner is used, a dust explosion-proof type must be chosen.

-6-

Product Name: Print Cartridge Black MP C6003S SDS Number: 841865 Date Prepared: 29/05/2017 Date Modified: 10/07/2017 Output Date: 27/07/2018



7. Handling and Storage

Handling

Technical Measures/Precautions

Not applicable

Safe Handling Advice

Do not handle in areas where there is wind or draught, this may cause dust to get into eyes.

Avoid breathing in dust.

Storage

Technical Measures

Not applicable

Storage Conditions

Keep out of reach of children.

Store in dry, well-ventilated area, to maintain quality the temperature should not exceed 35°C for a long time. Avoid direct sunlight.

Packaging Material

Not applicable

Specific Use(s)

Image formation in printing machines or copiers.

8. Exposure Controls/Personal Protection

Technical Measures

Use adequate ventilation. None required with intended use.

Control Parameters

USA OSHA PEL (TWA) : 15mg/m3 (Total dust) 5.0mg/m3 (Respirable fraction)
ACGIH TLV (TWA) : 10mg/m3 (Inhalable fraction)
DFG MAK : 4.0mg/m3 (Total dust) 3.0mg/m3 (Respirable fraction)
1.5mg/m3 (Respirable fraction)

Personal Protection

Respiratory Protections

None required in normal use. If the limit of exposure concentration is exceeded, use authorised respirator.

Hand Protection

Use vinyl or rubber gloves if necessary.

Eye Protection

Put on goggles if necessary.

Skin and Body Protection

Wear chemical-resistant apron or other impervious clothing if necessary.

Hygiene Measures

Wash hands after handling

9. Physical and Chemical Properties

Appearance

Physical State : Solid Form : Powder Colour : Black

Odour : Sligthly plastic odour

Odour : Not available

Threshold Information pH: Not applicable

Specific Temperatures/Temperature Ranges at Which Changes in Physical State Occur

Boiling Point (degrees : Not applicable

centigrade)

Melting Point (degrees : (Softening point) Approx.90

centigrade)

Auto-Ignition Temperature : Not available Decomposition Temperature (degrees : Not available

centigrade)

Flash Point (degrees centigrade) : Not applicable

Explosion Properties (degrees centigrade) : This product is considered a nonexplosive material

under normal use.

Product Name: Print Cartridge Black MP C6003S SDS Number: 841865 Date Prepared: 29/05/2017 Date Modified: 10/07/2017 OutputDate: 27/07/2018



Evaporation Rate : Not applicable Vapor Pressure (Pa) Not applicable

:

Vapor Not applicable

Density(AIR=1)

Density (g/cm3) Approx.1.2 Measuring Temp (degrees centigrade) : 25

:

Solubility

Water Solubility (g/L) : Insoluble Chloroform Solubility (g/L) : Slightly soluble

Octanol/Water Partition Coefficient

Not available

Other Information

Flammability : Not flammable

Upper/Lower Flammability or Explosive

Limits

Upper Flammability or Explosive Limits : Not available

(g/m3)

Lower Flammability or Explosive Limits : Not available

(g/m3)

Viscosity (Pa·s) : Not applicable Volatile (%) : 0.2 or below

10. Stability and Reactivity

Stability

Stable

Hazardous Reaction

Dust explosion, like most finely grained organic powders.

Conditions to Avoid

Not applicable in normal use.

Materials to Avoid

Not applicable in normal use condition.

Hazardous Decomposition Products

Decomposition products will not occur.

11. Toxicological Information

Acute Toxicity

Acute Oral Toxicity (LD50):

5000 or over [mg/kg] (Rat)

Acute Dermal Toxicity:

Not available

Acute Inhalation Toxicity:

Not applicable (Based on other Ricoh products test results of similar ingredients.)

Local effects

Acute Skin Irritation(PII):

1.0 or below (Rabbit) (Based on other Ricoh products test results of similar ingredients.)

Acute Eye Irritation:

Non-irritant (Rabbit) (Based on other Ricoh products test results of similar ingredients.)

Sensitization

Acute Allergenic Effects:

Non-skinsensitive (Mouse) (Based on other Ricoh products test results of similar ingredients.)

Specific Effects

Carcinogenicity:

Carbon black and titanium dioxide contained in this product are classified to Group 2B of IARC as the result of inhalation test in use of rat.

But oral/skin test does not show carcinogenicity.

The toner containing carbon black did not show carcinogenicity in chronic inhalation exposure test in use of rat.

In the animal experiment with very high concentration of titanium dioxide (excessive burden of rat's lungs clearance mechanism (overload phenomenon)), the rat alone showed lung tumor. Under a normal use practice, the concentration should be far lower than the above; and it is assumed that there is no such use.

Also, relation between respiratory disease and work exposure of titanium dioxide is not observed with epidemiological survey.

Mutagenicity : Negative (Ames test)

Reproduction Toxicity: Does not contain substances listed as hazardous to reproductive health.

Spscific target orgen

toxicity-single exposure

Spscific target orgen toxicity-repeated exposure

Aspiration hazard

Does not contain substances listed as hazardous to reproductive health.

Symptoms related to the physical, chemical and toxicological characteristics Not available

Product Name: Print Cartridge Black MP C6003S SDS Number: 841865 Date Prepared: 29/05/2017 Date Modified: 10/07/2017 OutputDate: 27/07/2018



12. Ecological Information

Mobility : No data are available on the adverse effect one environment.

Persistence/Degradabilit : Not available

У

Bioaccumulation : Not available

Ecotoxicity

Acute Toxicity for Fish (LC50) : Not classified as toxic (Regulation (EC) No 1272/2008). Acute Toxicity for Daphnia : Not classified as toxic (Regulation (EC) No 1272/2008).

(EC50)

Algae Inhibition Test : Not classified as toxic (Regulation (EC) No 1272/2008).

(IC50)

Other Advers Effects : Not available

13. Disposal Consideration

General information:

Dispose of waste and residues in accordance with local authority requirements

Disposal methods:

Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. Confirm disposal procedures with local regulations.

Precautions:

Do not throw the toner cartridge or toner into an open flame. The hot toner may scatter and cause burns or other damage.

14. Transport Information

International Regulations

Land Transport

RID/ADR : Not applicable
DOT 49 CFR : Not applicable
ADNR : Not applicable

-12-

Sea Transport

IMDG Code : Not applicable

Air Transport

ICAO-TI/IATA-DGR: Not applicable

The UN Classification : Not applicable

Number

UN Proper Shipping Name : Not applicable Class : Not applicable Packing Group, If Applicable : Not applicable

Specific Precautionary Transport Measures and conditions

Avoid direct sunlight in quality.

15.Regulatory Information

Regulations

EU Information

Information on the label (1999/45/EC and 67/548/EEC)

Symbols & Indications : Not required R-Phrase : Not required S-Phrase : Not required

Special Precautions under 1999/45/EC Annex V: Not required

76/769/EEC

This product complies with applicable rules and regulations under 76/769/EEC

1907/2006 Annex XVII

Not regulated

US Information

Information on the label: Not required TSCA (Toxic Substances Control Act):

This product complies with all applicable rules and regulations under TSCA.

SARA Title III

313 Reportable Ingredients : Not regulated California Proposition 65 : Not regulated

Canada Information

WHMIS Controlled product: Not a controlled product

-13-

Product Name: Print Cartridge Black MP C6003S SDS Number: 841865 Date Prepared: 29/05/2017 Date Modified: 10/07/2017 OutputDate: 27/07/2018



16.Other Information

Date Prepared: 29/05/2017

NFPA Hazard Rating: National Fire Protection Agency (USA)

Health; 1, Flammability; 1, Reactivity; 0

HMIS Rating: The National Paint and Coating Association (USA)

Health; 1, Flammability; 1, Reactivity; 0

Literature References:

ANSI Z400.1-1993

ISO 11014-1

IARC (1996) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.65, Printing Process and Printing Inks, Carbon Black and Some Nitro Compounds", Lyon, pp149-261

H. Muhle, B. Bellman, O. Creutzenberg, C. Dasenbrock, H. Emst, R. Kilpper, J.C. MacKenzie, P. Morrow, U. Mohr, S. Takenaka and R. Mermelstein(1991) "Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats" Fundamental and Applied Toxicology 17, pp 280-299

IARC (2008) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.93"

NIOSH CURRENT INTELLIGENCE BULLETIN "Evaluation of Health Hazard and Recommendation for Occupational Exposure to Titanium Dioxide DRAFT"

ACGIH-TLV : Threshold Limit Values for Chemical Substances and Physical Agents and

Biological Exposure Indices

OSHA Z-Tables : US Department of Labor, 29CFR Part 1910, Tables Z-1, Z-2, and Z-3

NTP (USA) : US Department of Health and Human Services National Toxicology

Program Annual Report on Carcinogens

DFG-MAK DFG List of MAK and BAT Value Symbol (EC) : Regulation (EC) No 1272/2008 91/155/ EEC : EU Directive 91/155/ EEC

1907/2006 Annex XVII : Regulation (EC) No 1907/2006 Annex XVII

WHMIS Controlled : Canada Workplace Hazardous Information System

product

OELs-TWA (Australia) : Guidance Note on the Interpretation of Exposure Standards for

Atmospheric Contaminants in the Occupational Environment [NOHSC:

3008 (1995)]

Abbreviations:

PEL (Permissible Exposure Limit) under Occupational Safety and Health Act OSHA PEL

TLV (Threshold Limit Values) under American Conference of Governmental Industrial **ACGIH-TLV**

Hygienists

REACH (EC)No.1907/2006:Council Regulation concerning the Registration, Evaluation,

Authorization and Restriction of Chemicals

SVHC Substances of Very High Concern **ECHA** The European Chemicals Agency

MAK (Maximale Arbeitsplatz Konzentrationen) by Deutsche Forschungs Gemeinschaft DFG-MAK Restriction of the use of certain Hazardous Substances in Electrical and Electronic RoHS

Equipment

Time Weighted Average TWA

IARC International Agency for Research on Cancer

National Toxicology Program NTP

WHMIS Workplace Hazardous Information System

NOHSC National Occupational Health and Safety Commission Act 1985

Disclaimer(S):

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Ricoh Australia Ptv Ltd.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

Ricoh Australia Pty Ltd. assumes no legal responsibility for use or reliance upon this information.